Neolux Smart

GATEWAY TO A SMART LIFE




www.neolux.com.pk

Control Panel Max



10" LCD

Control Panel Max
10" LCD



Effortlessly control your smart home with the sleek **10” Control Panel Max.**
Real-time device monitoring, intuitive touchscreen interface, and seamless access to lighting, climate, and security — all in one powerful hub.


Control Panel Mini



Minimal Size
Maximum Control

Control Panel Mini
4" LCD

4" Inch



4" Inch

Compact control, powerful performance.
The **4" Control Panel Mini** puts lighting, climate, and security at your fingertips with a sleek touchscreen and real-time smart home monitoring — perfect for any room.

4" Control Panel



Small Display
Smart Control

4" Control Panel

4" LCD

4" Inch



4" Inch

Small in size, big on control.

The **4" Control Panel** offers sleek, responsive touch access to your home's lighting, climate, and security — all from a compact, stylish interface built for seamless smart living.

Stylish Control, Smarter Living



Smart Gang Switches

Upgrade your home with smart switches in 1 to 4 Gang options. Enjoy effortless control of lights and appliances via touch, app, or voice all with a sleek, modern design built for smart living.



Smart 1 Gang

Single circuit smart control with elegant touch operation.



Smart 2 Gang

Control two lighting circuits independently from one sleek panel.



Smart 3 Gang

Convenient three channel control designed for modern living spaces.



Smart 4 Gang

Complete room control with voice, app, and touch functionality.

Smart Dimmer & Fan Control

Stylish control for your lights and fans. Adjust speed or brightness via touch, app, or voice. Available in White, Black, and Grey perfect for modern smart homes.

Light Dimmer



1% to 99%
Smart Control

Smart Dimmer

Upgrade your home with stylish dimmer switches that give you smooth control over lights and fans. Available in Glacier White, Charcoal, and Eco-Grey finishes perfect for modern smart homes. Enjoy easy control via touch, voice, or mobile app.



Precision Brightness Control

Adjust lighting levels effortlessly to create the perfect atmo-sphere for every moment.



Energy Efficient Operation

Reduce unnecessary power consumption while extending lighting lifespan.



Smooth Dimming Performance

Experience flicker-free brightness transitions with responsive touch control.

Smart & Non-Smart Sockets

Power your devices with a versatile range of smart and non-smart sockets designed for safety, convenience, and modern living. From app-controlled smart sockets with remote access and scheduling to dependable everyday outlets, Neolux offers solutions for every space.

Smart Socket



Smart Control

Smart Socket

Effortlessly control your devices from anywhere with this Wi-Fi-enabled smart socket. Schedule power, monitor energy usage, and enjoy voice assistant compatibility for a truly connected lifestyle.



Smart Socket

App Control: scheduling, and energy-saving convenience.



Smart Socket

Smart Plug-in Outlet: Energy-efficient control from anywhere.

Non Smart Sockets

A reliable, high-quality socket designed for everyday use. Built for safety and durability, it delivers consistent power performance without smart features.



Non-Smart Socket

Power Socket: Reliable and durable outlet for everyday use.




Type C Non Smart Socket

Plug Socket: Simple and efficient power solution

Smart Zigbee Hub

The Smart Zigbee Hub connects and controls all your smart devices with ease, offering seamless automation, secure communication, and efficient performance for a truly intelligent home experience.



Smart Zigbee Wired & Wireless Hub

A powerful Zigbee hub designed to connect, manage, and automate your smart devices through a stable and reliable network. Available in wired and wireless options to suit every installation requirement.



Flexible Placement

Can Be Placed: anywhere within Wi-Fi range, allowing better coverage and easier integration into various rooms.

Quick Installation

No need for LAN: cables just plug in and connect via Wi-Fi for an easy, clutter-free setup.

Portable & Scalable

Ideal For Renters: or smaller setups where portability and quick relocation are important.



Stable Connection

Wired Zigbee: hubs use Ethernet, ensuring a more reliable and uninterrupted connection ideal for smart home automation

Low Latency

Faster Response: times between devices due to a direct wired network link, beneficial for real-time automation.

No Wi-Fi Dependency

Functions Independently: of Wi-Fi, making it more resilient to network drops or congestion.

Advanced Smart Door Lock

A sleek and secure solution for modern homes, this Smart Door Lock in black offers keyless entry, built-in camera, and WiFi control. Manage access remotely and enhance home security with style and convenience.



Advanced Smart Door Lock

Engineered for modern living, the Advanced Smart Door Lock combines intelligent access control, remote connectivity, and premium security features in one sleek design.



HD Video Doorbell

Built-in Camera: lets you see and speak to visitors in real time through your smartphone — even when you're away.

Touchscreen Keypad

Enter Your PIN: with ease using the illuminated touch panel, designed for fast and accurate access day or night.

Smart App Control

Lock - Unlock: receive real-time alerts, and manage user access through a dedicated mobile app.

Fingerprint Sensor

Unlock in Less: than a second with advanced fingerprint recognition — secure and lightning fast.

Energy Efficient

Low-Power Consumption: design with long battery life and emergency power options via USB-C.

Auto-Lock Functionality

Never Forget to Secure: your door customizable auto-lock timers ensure safety every time.

Smart, secure,
and built to last.

Smart Door Lock





Alu
Aluminum Alloy

-20 to -40 degrees

100 Users

Fingerprint, RF Card, Password,
Mechanical Key, Temporary Password

Smart Door Locks

Modern security meets intelligent access. Neolux Smart Door Locks offer multiple unlocking methods, remote control, real-time monitoring, and advanced protection for homes, offices, and apartments.



Enhanced Security

Advanced locking technology: combined with encrypted access methods keeps your property protected at all times.

Multiple Access Modes

Unlock using: fingerprint, PIN code, mobile app, RFID card, or mechanical key backup.

Remote Access

Grant temporary access: monitor activity logs, and control your lock from anywhere through the mobile app.



Fingerprint Recognition

Fast and accurate biometric unlocking within seconds for effortless daily use.

Smart Notifications

Receive instant alerts whenever the door is accessed, left open, or tampered with.

Auto Lock Protection

Automatically secures the door after entry for added peace of mind.



Smart Wi-Fi Door & Window Sensor

Monitor doors and windows remotely with this Wi-Fi sensor.
Receive instant alerts for enhanced home security.

Smart Wifi Sensors

Create a safer and smarter home with intelligent sensors that monitor movement, temperature, humidity, and door activity in real time.



Window Sensor

Instant alerts when doors or windows are opened or closed.



Temperature Sensor

Monitor temperature and humidity levels to maintain comfort and energy efficiency.



Wi-Fi IR Remote

Control air conditioners, TVs, fans, and other infrared devices directly

Alexa Echo Dot 5th Generation

Connect your Neolux Smart ecosystem with leading voice assistants for effortless hands-free control.



Alexa & Google

Is a compact smart speaker with enhanced sound and seamless Is a compact smart speaker with enhanced sound and seamless smart Is a compact smart speaker with enhanced sound.



Alexa Echo Dot

Rich sound quality combined with powerful smart home control capabilities.



Alexa 3rd Gen.

Control lighting, curtains, climate, and appliances using simple voice instructions.



Google Assistant

Manage devices, routines, and information through natural voice interaction.



4P Smart Breaker Switch


It combines intelligent monitoring, safety features, and remote operation to provide seamless energy management for industrial and commercial applications.

4P Smart Breaker Switch

The Neolux Smart 4P Smart Breaker Switch is an advanced circuit control device equipped with IoT technology. It combines intelligent monitoring, safety features, and remote operation to provide seamless energy management for industrial and commercial applications. With versatile functionality and reliable performance, this smart breaker switch ensures optimal circuit protection and control.

Best Feature

- Rated Voltage: AC230V
- Rated Current: 20A, 32A, 63A (Customisable to 100A)
- Breaking Capacity: 10kA
- Communication: WiFi or RS485
- Protection Features：Overvoltage, undervoltage, overload, short circuit, high temperature
- Mechanical Lifespan：>20,000 cycles
- Electrical Lifespan：>6,000 cycles







OPERATIONAL ON\OFF
CONTROL & RECORD



LIVE ENERGY
MONITORING



CUSTOMIZE
SCHEDULING




SAFETY
PAREMETERS

COB Smart Lights

A high-efficiency downlight for modern interiors. Offers superior brightness, energy savings, & a sleek, minimal design perfect for homes and offices.



Colors



Smart COB Light

High Lumen Brightness: Crisp, focused lighting for tasks and ambiance.


Smart Home Integration: Compatible with Alexa, Google Home & more.

Color Range 2700K–6500K: Adjustable from warm to cool white tones.

12W LED Efficiency: Low energy, high output performance.

Full Dimming Control: Flicker-free dimming from 1% to 100%.

Scene Scheduling: Automate lighting to fit your mood or routines.



Smart Curtains & Blinds

Experience effortless comfort and control with smart curtains & blinds. Automate light and privacy with remote access, voice commands, or scheduled settings—all while enhancing your home's modern style and energy efficiency.

Smart Curtains & Blinds

Bring convenience and style together with smart curtains and blinds. Easily manage light, privacy, and ambiance with app control, voice commands, or set schedules designed for modern living.



Remote & App Control


Control Curtains & Blinds: via remote control or smartphone app (iOS & Android). Easily open, close, or stop with one tap.

Smooth & Silent Motor

Ultra-Quiet Motor: ensures noise-free performance—perfect for bedrooms or offices.

Schedules & Timers

Low Power Consumption: Set automatic open/close times for sunrise, sunset, or daily routines ideal for comfort, privacy, and energy savings.



Voice Assistant Support

Seamlessly Integrates: with Alexa, Google Assistant, and Siri for hands-free operation. Just say "Open the curtains.

Quiet & Smooth Operation

Precision-Engineered: motor runs silently, ensuring no noise disruption in your space.

Multi-User Support

Share Access: with family members through the app control from multiple devices.

Smart Presence Sensor

Presence Sensor uses advanced radar to detect even slight movements, ensuring accurate real-time presence sensing. Ideal for smart homes, it boosts security, efficiency, & comfort, with HomeKit support and easy integration.



Presence Sensor & Motion Sensor

Experience fast, secure, and reliable home automation with Zigbee-enabled devices. From universal remotes and presence sensors to wired and wireless hubs, these smart solutions ensure smooth connectivity, intelligent control, and effortless comfort throughout your home.



Accurate Detection

Real-Time Sensing: detects human presence instantly with high precision, ensuring lights, devices, or systems respond without delay.

Energy Efficient

Smart Automation: reduces power waste by switching devices on/off automatically based on occupancy, lowering energy bills.

Seamless Integration

Works With Smart Home: easily connects with existing smart home platforms for automated routines and personalized comfort.



Reliable Motion Detection

Smart Control: activates systems only when motion is detected, cutting unnecessary power consumption.

Energy Saving

Smart Control: activates systems only when motion is detected, cutting unnecessary power consumption.

Easy Integration

Smart Home Ready: connects smoothly with automation platforms, enhancing security and convenience.


Magnetic Light

MAGNETIC LIGHTS



MAGNETIC FLOOD LIGHT

DC	48V
LED COLOUR	2700K to 6500K
BODY COLOUR	BLACK
WATT	12W/18W/24W
DIMMABLE	0 TO 100



MAGNETIC GRILLE LIGHT

DC	48V
LED COLOUR	2700K to 6500K
BODY COLOUR	BLACK
WATT	12W/18W/24W
DIMMABLE	0 TO 100



MAGNETIC GRILLE FOLDING

DC	48V
LED COLOUR	2700K to 6500K
BODY COLOUR	BLACK
WATT	6W/12W
DIMMABLE	0 TO 100




MAGNETIC TRACK LIGHT

DC	48V
LED COLOUR	2700K to 6500K
BODY COLOUR	BLACK
WATT	12W
DIMMABLE	0 TO 100



MAGNETIC HANGING LIGHT

DC	48V
LED COLOUR	2700K to 6500K
BODY COLOUR	BLACK
WATT	10W
DIMMABLE	0 TO 100



Magnetic Accessories

MAGNETIC ACCESSORIES



POWER SUPPLY

BODY COLOUR	BLACK
WATT	100W/200W



ZIGBEE POWER SUPPLY

BODY COLOUR	BLACK
WATT	200W



RECESSED TRACK RAIL

BODY COLOUR	BLACK
SIZE	1M/2M/3M



CORNER

BODY COLOUR	BLACK



CONNECTOR

BODY COLOUR	BLACK



CONNECTOR

BODY COLOUR	BLACK


Curved Linear Light

CURVED LINEAR LIGHT




CIRCLE LINEAR LIGHT
5040

MATERIAL	ALUMINIUM & POLYCARBONATE
LED COLOUR	3000K/4000K/6000K
BODY COLOUR	BLACK/GRAY/WHITE
PROFILE SIZE	35X70/50X70/75X80 (MM)
MOUNTING	SUSPENDED & SURFACE

STANDARD AVAILABLE SIZE & WATT :-

SIZE	WATT
600MM	60W
1200MM	120W
1800MM	180W
2400MM	240W
3600MM	360W




CIRCLE LINEAR LIGHT
5040

MATERIAL	ALUMINIUM & POLYCARBONATE
LED COLOUR	3000K/4000K/6000K
BODY COLOUR	BLACK/GRAY/WHITE
PROFILE SIZE	35X70/50X70/75X80 (MM)
MOUNTING	SUSPENDED & SURFACE

STANDARD AVAILABLE SIZE & WATT :-

SIZE IN MM	WATT
300 X 300 X 300	40W
600 X 600 X 600	80W
900 X 900 X 900	120W
1200 X 1200 X 1200	150W



CIRCLE LINEAR LIGHT
5040

MATERIAL	ALUMINIUM & POLYCARBONATE
LED COLOUR	3000K/4000K/6000K
BODY COLOUR	BLACK/GRAY/WHITE
PROFILE SIZE	35X70/50X70/75X80 (MM)
MOUNTING	SUSPENDED & SURFACE

STANDARD AVAILABLE SIZE & WATT :-

SIZE	WATT
900 X 450	105W
1200 X 600	155W
1500 X 750	175W
1800 X 900	210W




CIRCLE LINEAR LIGHT
5040

MATERIAL	ALUMINIUM & POLYCARBONATE
LED COLOUR	3000K/4000K/6000K
BODY COLOUR	BLACK/GRAY/WHITE
PROFILE SIZE	35X70/50X70/75X80 (MM)
MOUNTING	SUSPENDED & SURFACE

STANDARD AVAILABLE SIZE & WATT :-

SIZE	WATT
600MM	60W
1200MM	120W
1800MM	180W
2400MM	240W
3600MM	360W



Linear Light

LINEAR LIGHT




LINEAR LIGHT

MATERIAL	ALUMINIUM & POLYCARBONATE
LED COLOUR	3000K/4000K/6000K
BODY COLOUR	BLACK/GRAY/WHITE
PROFILE SIZE	35X70/50X70/75X80 (MM)
MOUNTING	SUSPENDED & SURFACE

STANDARD AVAILABLE SIZE & WATT :-

SIZE	WATT
600MM	20W
1200MM	40W
1800MM	60W
2400MM	80W
3600MM	120W




LINEAR LIGHT

MATERIAL	ALUMINIUM & POLYCARBONATE
LED COLOUR	3000K/4000K/6000K
BODY COLOUR	BLACK/GRAY/WHITE
PROFILE SIZE	35X70/50X70/75X80 (MM)
MOUNTING	SUSPENDED & SURFACE

STANDARD AVAILABLE SIZE & WATT :-

SIZE IN MM	WATT
300 X 300 X 300	30W
600 X 600 X 600	60W
900 X 900 X 900	90W
1200 X 1200 X 1200	120W



LINEAR LIGHT

MATERIAL	ALUMINIUM & POLYCARBONATE
LED COLOUR	3000K/4000K/6000K
BODY COLOUR	BLACK/GRAY/WHITE
PROFILE SIZE	35X70/50X70/75X80 (MM)
MOUNTING	SUSPENDED & SURFACE

STANDARD AVAILABLE SIZE & WATT :-

SIZE	WATT
600MM	20W
1200MM	40W
1800MM	60W
2400MM	80W
3600MM	120W



LINEAR LIGHT

MATERIAL	ALUMINIUM & POLYCARBONATE
LED COLOUR	3000K/4000K/6000K
BODY COLOUR	BLACK/GRAY/WHITE
PROFILE SIZE	35X70/50X70/75X80 (MM)
MOUNTING	SUSPENDED & SURFACE


STANDARD AVAILABLE SIZE & WATT :-

SIZE IN MM	WATT
600 X 300	60W
900 X 450	90W
1200 X 600	120W
1500 X 750	150W
1800 X 900	180W



Linear Light

LINEAR LIGHT




LINEAR LIGHT
101 - 103

MATERIAL	ALUMINIUM & POLYCARBONATE
LED COLOUR	3000K/4000K/6000K
COLOUR	BLACK
PROFILE SIZE	10 x 10 (MM)
MOUNTING	SUSPENDED & SURFACE

STANDARD AVAILABLE SIZE & WATT :-

PROFILE SIZE	0.4 x 0.4(inch)
1200MM	1W X 45 LED
1800MM	1W X 70 LED
2400MM	1W X 90 LED

DESCRIPTION
Collarless U Shape Profile
10 Feet Length
PVC Diffuser
LED Strip x 1




LINEAR LIGHT
3520

MATERIAL	ALUMINIUM & POLYCARBONATE
LED COLOUR	3000K/4000K/6000K
COLOUR	BLACK
PROFILE SIZE	35 x 20 (MM)
MOUNTING	SUSPENDED & SURFACE

STANDARD AVAILABLE SIZE & WATT :-

PROFILE SIZE	1.4 x 0.8 (inch)
1200MM	1W X 45 LED
1800MM	1W X 70 LED
2400MM	1W X 90 LED

DESCRIPTION
YW Shape Profile
10 Feet Length
PVC Diffuser
LED Strip x 2




LINEAR LIGHT
5050

MATERIAL	ALUMINIUM & POLYCARBONATE
LED COLOUR	3000K/4000K/6000K
COLOUR	BLACK
PROFILE SIZE	15.8 x 15.8 (MM)
MOUNTING	SUSPENDED & SURFACE

STANDARD AVAILABLE SIZE & WATT :-

PROFILE SIZE	0.2 x 0.2 (inch)
1200MM	1W X 45 LED
1800MM	1W X 70 LED
2400MM	1W X 90 LED

DESCRIPTION
Collarless V Shape Profile
10 Feet Length
PVC Diffuser
LED Strip x 1




LINEAR LIGHT
2050 With Collor
2040 With Out Collor

MATERIAL	ALUMINIUM & POLYCARBONATE
LED COLOUR	3000K/4000K/6000K
COLOUR	BLACK
PROFILE SIZE	17.4 x 7 (MM)
MOUNTING	SUSPENDED & SURFACE

STANDARD AVAILABLE SIZE & WATT :-

PROFILE SIZE	0.7 x 0.3(inch)
1200MM	1W X 45 LED
1800MM	1W X 70 LED
2400MM	1W X 90 LED

DESCRIPTION
Collarless U Shape Profile
10 Feet Length
PVC Diffuser
LED Strip x 1




LINEAR LIGHT
5035

MATERIAL	ALUMINIUM & POLYCARBONATE
LED COLOUR	3000K/4000K/6000K
COLOUR	BLACK
PROFILE SIZE	50 x 35 (MM)
MOUNTING	SUSPENDED & SURFACE

STANDARD AVAILABLE SIZE & WATT :-

PROFILE SIZE	2 x 1.4 (inch)
1200MM	1W X 45 LED
1800MM	1W X 70 LED
2400MM	1W X 90 LED

DESCRIPTION
Collarless U Shape Profile
10 Feet Length
PVC Diffuser
LED Strip x 2



LINEAR LIGHT
5070

MATERIAL	ALUMINIUM & POLYCARBONATE
LED COLOUR	3000K/4000K/6000K
COLOUR	BLACK
PROFILE SIZE	50 x 75 (MM)
MOUNTING	SUSPENDED & SURFACE

STANDARD AVAILABLE SIZE & WATT :-

PROFILE SIZE	2.0 x 2.8 (inch)
1200MM	1W X 45 LED
1800MM	1W X 70 LED
2400MM	1W X 90 LED

DESCRIPTION
Collarless U Shape Profile
10 Feet Length
PVC Diffuser
LED Strip x 2

Contact us

+92 336 4688801
www.neolux.com.pk
sales@neolux.com.pk
Building No. 1C, Al Murtaza Commercial Lane 1, 2nd Floor
DHA Phase 8, Karachi





Your Home
Your Control